

T5N
R3E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Jackson County are stored on microfilm Reel 7545 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

North Line continued

5.50 Brook 5 Links wide course South, West

28.50 Beech 15 Inches dia.

40.00 Set a half mile post from which a Beech 6 Inches dia. bears S 52 W 16 Links & a gum 20 Inches dia. bears N 14 W 11 Links

70.10 W. Oak 20 Inches dia.

80.00 Set post corner of Sec. 13 T. 14 N. R. 3 E. from which a Beech 20 Inches dia. bears S 2 E 29 Links to Beech 24 Inches dia. bears N 57 W 17 Links. Level Beech Timbered Land Under bush Spice

North Line continued

40.00 Set a half mile post from which a Hickory 20 Inches dia. bears N 85 E 16 Links & a Dogwood 6 Inches dia. bears N 55 W 3 Links

56.15 W. Oak 15 Inches dia.

80.00 Set post corner of Section 6 T. 14 N. R. 3 E. from which a Dogwood 6 Inches dia. bears S 60 E 2 Links to W. Oak 10 Inches dia. bears S 57 W 19 Links over bushy level Oak Timbered land

North Line continued

40.00 Set a half mile post from which a Hickory 20 Inches dia. bears S 45 W 14 Links to W. Oak 10 Inches dia. bears N 42 W 7 Links

80.00 Set post corner of Towns 4, 5 & 6 in Ranges 3 & 4 East from which a W. Oak 40 Inches dia. bears S 50 E 32 Links to Beech 10 Inches dia. bears S 60 W 29 Links this mile over level Oak & Hickory Timbered land very bush

S. Boundary T. 5, N. R. 4 E. Random

27.00 20 Inches dia.

40.00 Set a half mile post from which a Locust 15 Inches dia. bears S 80 E 40 Links to Beech 20 Inches dia. bears N 52 E 21 1/2 Links

72.00 Set post corner of Section 36 T. 5 N. R. 3 E. on the Indian boundary on the Bank of W. River from which a W. Oak 20 Inches dia. bears N 20 E 16 Links to Hickory 20 Inches dia. bears S 30 W 11 Links this mile over Rich level land under bush Spice wood

S. Boundary T. 5, N. R. 4 E. Random

East Between Towns 4 & 5 Range 4 East on Random

40.00 Set a temporary half mile post

80.00 Set a temporary mile post over Rich level Oak & Hickory Timbered land

East Line continued

40.00 Set a temporary half mile post

80.00 Set a temporary mile post same the same quality

East Line continued

27.00 Spring course South, East

32.25 Spring run 5 Links course South East

35.00 Spring run 5 Links wide course South, West

40.00 Set temporary half mile post

80.00 Set a temporary mile post level Oak & Hickory Timbered land

East Line continued

11.00 Brook 10 Links wide course South

40.00 Set a temporary half mile post

43.00 Brook 20 Links wide course South

50.00 Brook 50 Links wide course South, West


80.00 Set a temporary half mile post level land

East Line continued

10.50 Brook 10 Links wide course North, West

40.00 Set a temporary half mile post

80.00 Set a temporary mile post this mile over very thin broken Soil. Timber Oak hills very high



Township No. V North, Range No. III East of the 2nd Meridian.

Surveyed by Arthur Henric in 1811

by John H. Harris in 1887

Quality of the land on the interior section lines

Between Sections	Quality of the soil & timber	Between Sections	Quality of the soil & timber	Between Sections	Quality of the soil & timber
35 - 36	Level rich land; beech, sugar, & walnut	33 - 34	Very hilly	31 - 32	Hilly, oak & hickory
25 - 36	Same	27 - 34	Rolling; beech	29 - 32	Hilly & poor; oak
25 - 26	same	27 - 28	Very hilly; thin soil -	29 - 30	
24 - 25	same	22 - 27	Hilly	20 - 29	same
23 - 24	Rolling; timber the same	21 - 22	Hilly & poor; oak	19 - 20	
13 - 24	Flat; elm & hickory	15 - 22	same	17 - 20	rich & level
13 - 14	same	15 - 16	same	17 - 18	same
12 - 13		10 - 15	Very hilly	8 - 17	same
11 - 12	Rolling; oak & hickory	9 - 10	Hilly & hickory	7 - 8	Good farming land; poplar, beech & sugar
1 - 12	Flat; elm & beech	3 - 10	same	5 - 8	same
1 - 2	Hilly; thin soil -	3 - 4	same; oak & hickory	5 - 6	same
34 - 35	Level rich; beech, elm & walnut	32 - 33	Very hilly; oak, hickory & chestnut	6 - 7	
26 - 35	same	28 - 33	same	7 - 18	
26 - 27	Flat; beech & elm	28 - 29	same	18 - 19	
23 - 26	same	21 - 28	same	19 - 30	
22 - 23	same	20 - 21	Good farming land	30 - 31	
14 - 23	same	16 - 21	Very hilly oak		
14 - 15	Hilly; oak & hickory	16 - 17	Good farming land; oak, hickory & beech		
11 - 14	same	9 - 16	Rolling; oak & beech		
10 - 11	same	8 - 9	Level good farming land		
2 - 11	same	4 - 9	same		
2 - 3	Very hilly	4 - 5	same		

West Line continued
40.00 Set the temporary half mile post on true line from which a Beech 10 Inchs dia. bears N 17 W 25 Links
40 Do Beech 10 Inchs dia. bears S 40 E 8 Links
79. 80.00 Set the temporary mile post on true line for the corner of Sec. N. 33 W 34. Town 5 N. R. 4 E
from which a Beech 6 Inchs dia. bears S 82 E 20 Links. a Beech 6 Inchs dia. bears S 10 E 19 Links
10. West Line continued
40 40.00 Set the temporary half mile post on true line for 1/4 Sec. corner from which a Hickory 10 Inchs dia bears
45 N 60 W 20 Links a B. Oak 15 Inchs dia. bears S 10 W 10 Links
52 80.00 Set the temporary mile post on true line for the corner of Sec. N. 32 W 33. T. 5 N. R. 4 E from which a Hick
80 15 Inchs dia. bears N 83 W 35 Links a B. Oak 20 Inchs dia. bears N 52 E 18 Links
West Line continued
40.00 Set the temporary half mile post on true line for 1/4 Sec. corner from which a B. Oak 20 Inchs dia. bears
N 27 W 33 Links a Hickory 10 Inchs dia bears N 33 E 33 Links
80.00 Set the temporary mile post on true line for the corner of Sec. N. 31 W 32. T. 5 N. R. 4 East
from which a Hickory 10 Inchs dia. bears S 64 E 12 Links. a Hickory 8 Inchs dia. bears N 26 W 17 Links
80 West Line continued
40.00 Set the temporary half mile post on true line for 1/4 Sec. corner from which a Hickory 10 Inchs dia. bears
N 78 E 11 Links a W. Oak 12 Inchs dia. bears S 78 W 11 Links
79.19 Town Corner
North Boundary L. 5 N. R. 3 E.
North Between Towns 5 & 6 North. Range 3 & 4 East of 2nd Meridian. Sec 36
35.90 Hickory 10 Inchs dia.
40.00 Set a half mile post from which a B. Oak 40 Inchs dia. bears S 28 E 36 Links a Hickory 8 Inchs dia. bears
N 52 W 7 Links

74.60 Beech 20 Inchs dia.
80.00 To a Beech 8 Inchs dia. corner of Sec. N. 36 W 25. T. 5 N. R. 3 E. Leave this mile over Rich level land
North Line continued Sec 25.
21.85 Set post on the Indian boundary from which a B. Walnut 40 Inchs dia. bears S 3 E 24 Links
Do Blue Ash 6 Inchs dia. bears N 84 E 16 Links
Oct 24 1806.
E. Boundary L. 2 N. R. 4 E.
North Between Towns 2 & 3 North in Ranges 4 & 5 East of 2nd Meridian
25.00 Brook 50 Links wide. course West
37.50 Brook 10 Links wide. course South East
40.00 Set a half mile post from which a Beech 20 Inchs dia. bears N 65 W 21 Links a Sugar 10 Inchs dia. bears S 65 E 10
50.00 Brook 10 Links wide. course South West
80.00 Set post corner of Sec. 25 W 36. T. 2 N. R. 4 E. from which a Beech 10 Inchs dia. bears S 60 E 9 Links
Do Beech 6 Inchs dia. bears S 65 W 15 Links. Meeting farming land - Timber Beech Sugar Oak & Hickory
North Line continued
40.00 Set a half mile post from which a Sugar 5 Inchs dia. bears N 73 E 17 Links a Mulberry 10 Inchs dia. bears
N 70 W 23 Links
80.00 Set post corner of Sec. N. 24 W 25. T. 2 N. R. 4 E. from which a Sugar 10 Inchs dia. bears N 88 E 5 Links
Do Sugar 7 Inchs dia. bears N 80 W 21 Links. Land the same
North Line continued
40.00 Set a half mile post from which a Sugar 5 Inchs dia. bears S 11 E 16 Links a Poplar 4 Inchs dia. bears N 2 W 12 Links
80.00 Set post corner of Sections N. 24 W 23 - T. 2 N. R. 4 E from which a Beech 15 Inchs dia. bears N 60 W 7 Links
Do W. Oak 15 Inchs dia. bears N 57 E 18 Links
Land the same - Timber Beech Oak & Hickory

North Line continued

5.50 Brook 5 Links wide course South, West

28.50 Beech 15 Inches dia.

40.00 Set a half mile post from which a Beech 6 Inches dia. bears S 52 W 76 Links & a gum 20 Inches dia. bears N 14 W 11 Links

70.10 W. Oak 20 Inches dia.

80.00 Set post corner of Sec. 13 T. 4 N. R. 3. E from which a Beech 20 Inches dia. bears S 2 E 29 Links to Beech 24 Inches dia. bears N 57 W 19 Links. Level Beech Timbered Land Under brush Spruce

North Line continued

40.00 Set a half mile post from which a Hickory 20 Inches dia. bears N 85 E 16 1/2 Links to a Dogwood 6 Inches dia. bears N 55 W 3 Links

56.15 W. Oak 15 Inches dia.

80.00 Set post corner of Section 11 T. 4 N. R. 3. E from which a Dogwood 6 Inches dia. bears S 60 E 2 Links to W. Oak 10 Inches dia. bears S 57 W 19 Links over brushy level Oak Timbered land

North Line continued

40.00 Set a half mile post from which a Hickory 20 Inches dia. bears S 45 W 74 Links to W. Oak 10 Inches dia. bears N 42 W 7 Links

80.00 Set post corner of Towns 4. 4. 5 & 6 in Ranges 3 & 4 East from which a W. Oak 40 Inches dia. bears S 50 E 32 Links to Beech 10 Inches dia. bears S 60 W 29 Links this mile over level Oak & Hickory Timbered land very brush

S. Boundary T. 5 N. R. 3 E.

West Between Towns 4 & 5 North. Range 3 East of 2nd Meridian

27.00 20 Inches dia.

40.00 Set a half mile post from which a Spruce 15 Inches dia. bears S 50 E 40 Links to Beech 20 Inches dia. bears N 52 E 21 1/2 Links

72.00 Set post corner of Section 36 T. 5 N. R. 3 E. on the Indian boundary on the Bank of W. River from which a W. Oak 20 Inches dia. bears N 20 E 16 Links to a Hickory 20 Inches dia. bears S 30 W 11 Links this mile over Rich level land under brush Spruce

S. Boundary T. 5 N. R. 4 E. Random

East Between Towns 4 & 5 Range 4 East on Random

40.00 Set a temporary half mile post

80.00 Set a temporary mile post over Rich level Oak & Hickory Timbered land

East Line continued

40.00 Set a temporary half mile post

80.00 Set a temporary mile post Land the same quality

East Line continued

27.00 Spring course South, East

32.25 Spring run 5 Links course South East

35.00 Spring run 5 Links wide course South, West

40.00 Set temporary half mile post

80.00 Set a temporary mile post Level Oak & Hickory Timbered land

East Line continued

11.00 Brook 10 Links wide course South

40.00 Set a temporary half mile post

43.00 Brook 20 Links wide course South

50.00 Brook 50 Links wide course South, West

80.00 Set a temporary half mile post Level land

East Line continued

10.50 Brook 10 Links wide course North, West

40.00 Set a temporary half mile post

80.00 Set a temporary mile post this mile over very thin broken soil. Timber Oak hills very high

North Line continued

5.50 Brook 5 Links wide course South, West

28.50 Beech 15 Inches dia.

40.00 Set a half mile post from which a Beech 6 Inches dia. bears S 52 W 76 Links & a gum 20 Inches dia. bears N 14 W 11 Links

70.10 W. Oak 20 Inches dia.

80.00 Set post corner of Sec. N. 13 W. 14 T. 4 N. R. 3 E. from which a Beech 20 Inches dia. bears S 2 E 29 Links to Beech 24 Inches dia. bears N 57 W 17 Links. Level Beech Timbered Land Under brush Spruce.

North Line continued

40.00 Set a half mile post from which a Hickory 20 Inches dia. bears N 55 E 16 Links to Dogwood 6 Inches dia. bears N 55 W 3 Links.

36.15 W. Oak 15 Inches dia.

80.00 Set post corner of Sections N. 1 W. 2 T. 4 N. R. 3 E. from which a Dogwood 6 Inches dia. bears S 60 E 2 Links to W. Oak 10 Inches dia. bears S 57 W 19 Links over brushy level Oak Timbered land.

North Line continued

40.00 Set a half mile post from which a Hickory 20 Inches dia. bears S 45 W 16 Links to W. Oak 10 Inches dia. bears N 42 W 7 Links.

80.00 Set post corner of Towns 4, 4, 5 & 5 in Ranges 3 & 4 East from which a W. Oak 40 Inches dia. bears S 50 E 32 Links to Beech 10 Inches dia. bears S 60 W 29 Links. This mile over level Oak & Hickory Timbered land very brush.

S. Boundary T. 5, N. R. 4 E. Random.

West Between Towns 4 & 5 North. Range 3 East of 2nd Meridian

27.00 20 Inches dia.

40.00 Set a half mile post from which a Locust 15 Inches dia. bears S 50 E 40 Links to Beech 20 Inches dia. bears N 52 E 21 1/2 Links.

72.00 Set post corner of Section N. 36 T. 5 N. R. 3 E. on the Indian boundary on the Bank of W. River from which a W. Oak 20 Inches dia. bears N 20 E 16 Links to Hickory 20 Inches dia. bears S 30 W 11 Links this mile over Rich level land under brush Sprucewood.

S. Boundary T. 5, N. R. 4 E. Random.

East Between Towns 4 & 5 Range 4 East on Random

40.00 Set a temporary half mile post.

80.00 Set a temporary mile post over Rich level Oak & Hickory Timbered land.

East Line continued

40.00 Set a temporary half mile post.

80.00 Set a temporary mile post. Land the same quality.

East Line continued

27.00 Spring course South, East.

32.25 Spring run 5 Links course South East

35.00 Spring run 5 Links wide course South, West.

40.00 Set temporary half mile post.

80.00 Set a temporary mile post. Level Oak & Hickory Timbered land.

East Line continued

11.00 Brook 10 Links wide course South.

40.00 Set a temporary half mile post.

43.00 Brook 20 Links wide course South.

50.00 Brook 50 Links wide course South, West.

80.00 Set a temporary half mile post. Level land.

East Line continued

10.50 Brook 10 Links wide course North, West.

40.00 Set a temporary half mile post.

80.00 Set a temporary mile post. This mile over very thin broken soil. Timber Oak hills very high.

Meanders of White River in Township N. 3. N. 7. E. 3. E.

Thence up the River.

Course	Dist.	Remarks	Course	Dist.	Remarks
N 22 E	2.70		N 6 W	2.46	
N 13 E	3.60		N 9 E	2.97	
N 7 W	10.63		N 24 E	3.70	
N 12 E	10.68		N 41 E	1.79	
N 2 E	3.46		N 47 E	10.38	
N 6 W	2.23		N 33 E	13.24	
N 5 W	2.93		N 51 E	2.32	
N 23 E	6.04		N 33 E	1.30	
N 73 E	2.33		N 41 E	2.41	
S 68 E	4.19		N 50 E	1.28	
S 54 E	3.80		N 36 E	3.16	
S 64 E	4.36		N 74 E	1.69	To corner of Sec. 25 & 36
S 60 E	1.92		N 21 E	2.27	S. 5. N. 7. 3.
S 58 E	2.60		N 9 E	3.34	
S 57 E	4.14		N 22 W	1.46	
S 50 E	6.18		N 10 W	4.63	
S 74 E	2.93		N 23 W	4.95	Intersected the Boundary line
S 84 E	2.32			6.57	To the Town Corner from the River.
N 88 E	4.45		West		Between Sec. 25 & 36 S. 5. N. 7. 3. E.
N 77 E	2.15	7.00 a Brook 10 links wide	3.83		(To the River). Set post corner to Sec. 25 & 36 S. 5. N. 7. 3. E. from which a Beech 9 N 25 W 3 links - And another 12 S. 2. 3 bears S 9 E 14 links.
N 10 E	2.46				

In Meanders of Right-Bank
See Vol 13, page 100.

Surveyed by
W. Harris
Deputy Surveyor

Township N. 3. North Range. N. 1. East of the Meridian.

North	Between Sec. 35 & 36 S. 1. N. 7. 4. E.
40.00	Set 1/2 Sec. post - from which a Flechory 7 In. diameter bears S 47 E 4 lks.
30.00	A B. Oak 24 In. Diameter in the line.
20.00	Set post corner to Sec. 25, 26, 35, 36 S. 1. N. 7. 4. E. from which a Dogwood 5 In. diameter bears N 77 E 28 lks. - And a Dogwood 5 In. diam. bears S 25 W 31 lks. - Fertile land - No timber grown over with bushes & briars.
East.	Random between 25, 36 S. 1. N. 7. 4. E.
40.00	Set Tenn. 1/2 Sec. post - Over poor level land - Oak & Beech Timber.
30.00	A Water course 7 lks wide N. E.
68.00	A Stream 16 links wide runs N.
79.00	Intersected lower boundary 30 lks. N. of Sec. 25, 36 S. 1. N. 7. 4. E. - Set poor Oak land.
West.	Corrected between Sec. 25, 36 S. 1. N. 7. 4. E.
39.30	Moved 1/2 Sec. post at average distance - from which a W. Oak 11 in. diam. bears N 4 W 8 lks. - And a Beech 9 In. Diameter bears South 12 lks.
North	Between Sec. 25, 26 S. 1. N. 7. 4. E.
37.55	A Beech 12 in. Diameter.
40.00	Set 1/2 Sec. post - from which a Beech 15 In. Diameter bears N 53 E 5 lks. - And a Beech 16 In. Diam. bears S 43 E 16 lks. - Timber Beech & Poplar thick undergrowth.
62.30	A Creek 78 lks wide runs W.
80.00	Set Post corner to Sec. 23, 24, 25, 26 S. 1. N. 7. 4. E. from which a Beech 15 In. Diameter bears N 6 W 4 lks. - And an Elm 5 In. Diameter bears S 35 W 16 lks. - Over level 3 rate land - Timber Beech & Poplar.
North	Between Sec. 34, 35 S. 1. N. 7. 4. E.
20.00	A Beech 20 In. Diameter.

Township N. 5 North, Range N. 3 East 2nd Mer.

Range line - Var. - 6° 30' E.		North	On the East Side of Sec. 1
North	Between Ranges 3 & 4 E Township 5 North	40.00	gr. Sec. corner Hickory 12 S 11 W 29
	On the East Side of Sec. 25		W. Oak 10 S 1 E 23
27.00	To White River	41.75	A. Brook 10 lks East
34.00	Set post on the N. W. Side of White River	70.50	A. Brook 12 lks East
	Red. bud 6 S 21 E 41	80.00	Set post corner of Towns 5 & 6 R. 3 & 4 E
40.00	gr. Sec. corner W. Oak 10 S 8 W 16		Beech 12 S 5 W 4
	Red. bud 5 S 41 E 25		do 12 S 7 W 28
58.40	A. Locust 13 in. diam. on the River bank		Land flat Maple, Beech & Oak
71.00	Set post on bank of River Beech 6 S 6 W 14		Surveyed by Arthur Henric D. L.
	do 6 S 3 E 10		Township lines
76.70	A. Brook 20 in. diam.	East	On Random Between Towns 4 & 5 R. 3 E
80.00	Set post corner of Sec. 24 S 25	40.00	Set temporary gr. Sec. post
	Beech 8 S 4 E 47	60.00	A. Brook 10 lks S. W.
	do 8 S 7 E 79	80.00	Temporary mile post very high hills
	Good Beech land		Timber Oak & hickory
North	On the East side of Sec. 24	East	Random line continued
40.00	gr. Sec. corner Hickory 15 S 3 E 25	40.00	Set temporary gr. Sec. post
	B. Walnut 28 S 41 W 34	80.00	Temporary mile post
80.00	To a Maple 10 in. diam. cor. of Sec. 13 S 24		Land the same
	Land the same	East	Random line continued
North	On the East side of Sec. 13	40.00	Set temporary gr. Sec. post in River bottom
40.00	gr. Sec. corner Maple 6 in. corner tree	71.11	A. Brook 10 lks South
80.00	Set post corner of Sec. 12 S 12	80.00	Temporary mile post
	Hemlock 6 S 38 E 14		First Beech land
	Beech 12 S 20 E 16	East	Random line continued
	Land flat Maple, Beech & Oak	40.00	Set temporary gr. Sec. post
North	On the East side of Sec. 12	80.00	Temporary mile post
1.50	A. W. Oak 12 in. diam.		Land flat Beech, Elm & P.
40.00	gr. Sec. corner Maple 12 S 2 E 34	East	Random line continued
	Beech 10 S 29 W 10	5.00	A. Brook 10 lks South
52.00	A. Brook 10 lks East	39.11	To White River
80.00	Set post corner of Sec. 1 S 12	80.00	Temporary mile post in White River
	Beech 7 S 45 E 9		Land the same
	do 5 S 47 W 6		
	Land the same		

East	Random line continued	West	On the South side of Sec. 32
40.00	Set temporary gr. Sec. post	74.50	A. Brook 18 lks South
74.00	Intersected N. 5 S line 20 lks S. of Town corner	40.00	gr. Sec. corner B. Oak 10 corner tree
	Land level		do other tree
West	Between Towns 4 & 5 R. 3 E Var. 6° 30'	80.00	Set post corner of Sec. 31 S 32
	On true line		W. Oak 20 corner tree
	On the South side of Sec. 36		do other tree
40.00	To old gr. Sec. corner	West	On the South side of Sec. 31
80.00	Set post corner of Sec. 35 S 36	40.00	gr. Sec. corner W. Oak 20 S 10 E 7
	Locust 8 S 53 E 45		do 6 S 34 W 12
	No more trees	74.61	Township corner
	On the N. W. side of the River		Surveyed by Arthur Henric D. L.
West	On the South side of Sec. 35		Subdivisions of Township N. 5 S R. 3 East
20.42	To a Maple 8 in. diam. on the River bank	North	Between Sec. 35 S 36
35.50	Set post on River bank Mulberry 8 S 6 W 21	40.00	gr. Sec. corner Beech 20 S 35 W 5
	Sugar 10 S 6 E 12		do 22 S 69 E 45
40.00	gr. Sec. corner Sugar 5 S 44 W 18	52.72	A. Hickory 10 in. diam.
	Red. bud 6 S 74 W 14	77.50	A. Brook 10 lks East
80.00	Set post corner of Sec. 34 S 35	80.00	Set post corner of Sec. 25, 26, 35, 36
	Beech 20 S 10 E 16		Beech 6 S 5 W 37
	do 8 S 8 W 18		do 24 S 78 W 18
West	On the South side of Sec. 34		Good Rich land, Beech, Sugar, Walnut & P.
40.00	gr. Sec. corner Beech 20 S 22 W 8	East	Between Sec. 25 S 36
	do 6 S 67 E 9	40.00	gr. Sec. corner Hickory 8 S 49 W 10
80.00	Set post corner of Sec. 33 S 34		Hickory 12 S 16 E 14
	Beech 12 S 37 E 14	69.00	Set post on River bank Locust 8 S 82 W 46
	do 30 S 32 W 22		do 8 S 66 W 30
West	On the South side of Sec. 33		Land the same
40.00	gr. Sec. corner Beech 6 corner tree	North	Between Sec. 25 S 26
	No other tree	15.25	A. Hickory 12 in. diam.
80.00	Set post corner of Sec. 32 S 33	40.00	gr. Sec. corner W. Oak 6 S 12 W 10
	Beech 20 S 80 E 20		Hemlock 6 S 40 E 6
	do 8 S 24 W 11	74.75	A. Sugar 24 in. diam.

80.00 Set post corner to Sec^s 23, 24, 25, 26
Maple 15 ft E 27
O.B. Oak 4 ft 84 W 6
Level Rich lands, Beech, Sugar, Walnut &c
East Between Sec^s 24 & 25 On Boundary
40.00 Temporary gr. Sec. post
78.87 Intersected N & S line 50 ft South of corner
Land the same
West Corrected
37.43 1/2 gr. Sec. corner B. Oak 24 ft 20 W 20
Beech 15 ft 35 W 10
78.87 Section corner
North Between Sec^s 23 & 24
24.40 A. Beech 7 1/2 in. diam.
40.00 gr. Sec. corner Beech 10 corner tree
50.00 Set post corner of Sec^s 13, 14, 23, 24
Beech 10 ft 20 E 27
do 18 ft 85 E 10
Land Rolling Oak & Hickory
East Between Sec^s 13 & 24 On Boundary
40.00 Temporary gr. Sec. post
80.00 Intersected N & S line 10 ft North of corner
Land flat. Elm, Hickory &c
West Corrected
40.00 gr. Sec. corner Ironwood 6 ft 88 E 18
Elm 10 ft 35 W 2
80.00 Section corner
North Between Sec^s 13 & 14
13.25 A. Beech 20 lbs S. E
40.00 gr. Sec. corner Beech 5 ft 15 W 21
Lum 24 ft 19 E 22
80.00 Set post corner to Sec^s 11, 12, 13, 14
Hickory 12 ft 22 E 30
Beech 10 ft 52 E 28
Land the same

East Between Sec^s 12 & 13 On Boundary
40.00 Temporary gr. Sec. post
46.00 A. Beech 10 lbs South
79.90 Intersected N & S line at the corner
West Corrected
39.95 gr. Sec. corner Beech 20 ft 35 W 6
do 24 ft 65 W 20
79.90 Section corner
North Between Sec^s 11 & 12
24.00 A. Beech 12 lbs East
26.00 A. Beech 20 in. diam.
40.00 gr. Sec. corner Beech 12 ft 20 W 28
W. Oak 10 ft 21 E 28
80.00 Set post corner of Sec^s 1, 2, 11, 12
W. Oak 20 ft 20 W 11
do 20 ft 50 E 30
Land Rolling Oak & Hickory
East Between Sec^s 1 & 12 On Boundary
40.00 gr. Sec. corner Temporary
56.50 A. Beech 10 lbs South
79.60 Intersected N & S line at the corner
Land flat. Elm, Beech &c
West Corrected
39.80 gr. Sec. corner Beech 12 ft 59 W 27
do 15 ft 36 E 19
79.60 Section corner
North Between Sec^s 1 & 2
40.00 gr. Sec. corner W. Oak 20 ft 73 E 10
Beech 8 ft 10 E 7
67.00 A. Beech 10 lbs S. E
80.38 Intersected N. boundary 54 ft E. of corner
B. Oak 10 ft 54 W 2
do 10 ft 23 E 11
Land Hilly three soils

North Between Sec^s 34 & 35
8.00 A. Beech 18 lbs East
40.00 gr. Sec. post Beech 12 ft 2 W 15
do 12 ft 4 E 26
80.00 Set post corner of Sec^s 26, 27, 34, 35
Beech 10 ft 10 E 42
do 10 ft 33 E 13
Land level Rich. Beech, Elm & Walnut
East Between Sec^s 20 & 35 On Boundary
40.00 Temporary gr. Sec. post
73.50 A. Beech 30 lbs S. E
80.40 Intersected N & S line 18 ft South of corner
Land the same
West Corrected
40.00 gr. Sec. corner Sugar 8 ft 79 E 19
do 12 ft 55 W 18
80.40 Section corner
North Between Sec^s 26 & 27
40.00 gr. Sec. corner Beech 15 ft 15 W 20
Elm 20 ft 79 E 48
80.00 Set post corner of Sec^s 22, 23, 26, 27
W. Oak 12 ft 8 E 23
Logwood 6 ft 29 E 9
Land flat. Timber Beech, Elm &c
East Between Sec^s 23 & 26 On Boundary
8.50 A. Beech 12 lbs South
28.50 A. Beech 20 lbs South
40.00 Temporary gr. Sec. post
81.00 Intersected N & S line 22 ft S. of corner
Land the same
West Corrected
40.50 gr. Sec. corner Beech 24 ft 64 W 13
do 10 ft 3 E 17
81.00 Section corner

North Between Sec^s 22 & 23
13.00 A. Beech 6 lbs S. E
40.00 gr. Sec. corner Beech 20 ft 57 W 10
do 153 E 29
80.00 Set post corner of Sec^s 14, 15, 22, 23
Beech 20 ft 8 W 26
do 8 ft 28 W 72
Land the same
East Between Sec^s 14 & 23 On Boundary
2.50 A. Beech 12 lbs South
40.00 Temporary gr. Sec. post
80.43 Intersected N & S line 27 ft North of corner
Land the same
West Corrected
40.21 1/2 gr. Sec. corner Beech 12 ft 22 W 6
do 12 ft 50 W 15
80.43 Section corner
North Between Sec^s 14 & 15
3.00 A. Beech 12 lbs S. E
40.00 gr. Sec. corner Beech 6 ft 6 E 22
Logwood 5 ft 80 E 5
60.00 A. Beech 10 lbs S. E
62.00 A. Poplar 36 in. diam.
80.00 Set post corner of Sec^s 10, 11, 14, 15
W. Oak 20 ft 66 E 8
do 10 ft 21 W 10
Land Hilly - Oak & Hickory
East Between Sec^s 11 & 14 On Boundary
20.00 A. Beech 10 lbs South
40.00 Temporary gr. Sec. post
80.00 Intersected N & S line 20 ft South of corner
Land the same
West Corrected
40.50 gr. Sec. corner B. Oak 6 ft 56 W 4
W. Oak 12 ft 62 W 15
80.00 Section corner

North	Between Sec ^s 10 & 11	East	Between Sec ^s 27 & 34 On Brandon
25.50	A. Beech 12 in. diam.	40.00	Temporary gr. Sec. post
40.00	gr. Sec. corner N. Oak 10 N 15 W 8	50.00	A. Beech 20 lbs S. E.
	do 8 S 15 E 21	80.00	Intersected St & I line 12 lbs South of corner
80.00	Set post corner of Sec ^s 2, 3, 10, 11		Land Rolling timber Beech 1 1/2
	Poplar 6 S 70 W 5	West	Corrected
	Beech 6 S 62 E 19	40.00	gr. Sec. corner Sugar 10 N 10 W 2
	Land Hilly Oak & Hickory		Beech 6 S 11 E 4
East	Between Sec ^s 2 & 11 On Brandon	80.00	Section corner
37.50	A. Beech 12 lbs South	North	Between Sec ^s 27 & 28
40.00	Temporary gr. Sec. post	36.04	A. N. Oak 12 in. diam.
79.50	Intersected St & I line 10 lbs North of corner	40.00	gr. Sec. corner B. Oak 12 S 27 E 10
	Land the same as above		Gum 8 S 1 E 20
West	Corrected	50.20	A. Beech 20 in. diam.
39.75	gr. Sec. corner Beech 20 N 15 W 28	80.00	Set post corner of Sec ^s 21, 22, 27, 28
	do 20 S 50 E 28		Ironwood 5 N 58 W 22
79.50	Section corner		Saplings 9 N 42 E 14
North	Between Sec ^s 2 & 3		Land very Hilly & steep Soil
34.00	A. Beech 6 lbs S. E.	East	Between Sec ^s 22 & 27 On Brandon
40.00	gr. Sec. corner B. Oak 10 N 7 W 28	40.00	Temporary gr. Sec. post
	Ironwood 6 N 50 W 8	79.31	Intersected 30 lbs South of corner
80.00	Intersected the St. Boundary 60 lbs E of corner		Land Hilly & not so high
	Beech 12 S 4 W 17	West	Corrected
	B. Oak 20 N 7 E 28	39.65	gr. Sec. corner Maple 10 N 34 E 12
	Land very Hilly		do 10 S 37 E 19
North	Between Sec ^s 33 & 34	79.31	Section corner
40.00	gr. Sec. corner B. Oak 12 N 37 E 7	North	Between Sections 21 & 22
	do 15 N 57 W 18	40.00	gr. Sec. corner Beech 8 S 11 E 42
45.53	A. Beech 20 in. diam.		Sugar 10 N 48 W 18
77.50	A. Beech 12 lbs East	80.00	Set post corner of Sec ^s 15, 16, 21, 22
80.00	Set post corner to Sec ^s 27, 28, 33, 34		B. Oak 15 S 13 E 17
	Beech 8 S 47 W 10		do 10 S 58 W 22
	do 10 N 33 W 7		Land very Hilly, thin Soil, timber Oak
	Land very Hilly		

East	Between Sec ^s 15 & 22 On Brandon	North	Between Sec ^s 3 & 4
40.00	Temporary gr. Sec. post	20.00	A. Beech 12 lbs S. E.
79.70	Intersected St & I line 75 lbs South of corner	40.00	gr. Sec. corner Beech 12 S 15 E 28
	Land very Hilly, thin Soil, timber Oak		Sugar 9 S 72 W 27
West	Corrected	84.50	Set post cor. of Sec ^s 3 & 4 112 lbs E of Sec. corner
39.55	gr. Sec. corner Beech 10 N 78 W 23		Beech 8 S 14 W 17
	Maple 10 N 39 E 16		do 12 N 70 E 10
79.70	Section corner		Oak & Hickory land
North	Between Sec ^s 15 & 16	North	Between Sec ^s 32 & 33
40.00	gr. Sec. corner Beech 10 S 10 W 42	40.00	gr. Sec. corner B. Oak 18 S 58 E 15
	N. Oak 18 N 17 W 28		Sugar 8 North 6
80.00	Set post corner of Sec ^s 9, 10, 15, 16	80.00	Set post corner of Sec ^s 28, 29, 32, 33
	Maple 10 S 12 E 58		N. Oak 15 S 11 E 12
	B. Oak 10 S 7 W 53		do 10 S 25
	Land the same as above		Very high Hills, Oak & Hickory, some Chestnut
East	Between Sec ^s 10 & 15 On Brandon	East	Between Sec ^s 28 & 33 On Brandon
40.00	Temporary gr. Sec. post	40.00	Temporary gr. Sec. post
80.00	Intersected St & I line 80 lbs S. of corner	80.15	Intersected North St. line 18 lbs South of corner
	Land very Hilly and high Hills		Land the same
West	Corrected	West	Corrected
40.00	gr. Sec. corner N. Oak 20 S 40 E 21	40.07 1/2	gr. Sec. corner Ironwood 6 S 53 W 7
	do 10 N 40 W 14		Doanwood 6 N 60 W 24
80.00	Section corner	80.15	Section corner
North	Between Sec ^s 9 & 10	North	Between Sec ^s 28 & 29
40.00	gr. Sec. corner N. Oak 20 N 60 E 19	40.00	gr. Sec. corner N. Oak 18 N 37 W 37
	Hickory 20 N 28 W 29		Saplings 8 N 18 E 27
50.10	A. B. Oak 20 in. diam.	80.00	Set post corner to Sec ^s 20, 21, 28, 29
80.00	Set post corner of Sec ^s 3, 4, 9, 10		Beech 10 N 55 E 19
	Beech 19 N 16 E 29		Chm 6 N 25 E 26
	Gum 18 N 44 W 32		Land the same
	Hills, no so high, but very broken	East	Between Sec ^s 31 & 28 On Brandon
East	Between Sec ^s 31 & 30 On Brandon	40.00	Temporary gr. Sec. post
40.00	Temporary gr. Sec. post	80.95	Intersected St & I line 20 lbs South of corner
79.40	Intersected St & I line 155 lbs S. of corner		Land very Hilly & steep
	Land the same		
	This line not corrected		

West Corrected Between Sec^s 21 & 28
 10.00 $\frac{1}{2}$ gr. Sec. corner Dogwood 5 ft 41 E 10
 Michery 10 ft 39 N 11
 50.95 Section corner
 North Between Sec^s 20 & 21
 12.50 A. M. Oak 12 in. diam.
 40.00 gr. Sec. corner A. Oak 30 corner tree
 50.00 Set post corner of Sec^s 16, 17, 20, 21
 Beech 6 ft 18 N 6
 do 10 ft 65 E 20
 Land good for farming
 East Between Sec^s 16 & 21 On Random
 40.00 Temporary gr. Sec. post
 50.43 Intersected N & S line 20ths North of corner
 First a buck head Beech last a very little Oak
 West Corrected
 40.21 $\frac{1}{2}$ gr. Sec. corner Beech 24 ft 4 N 21
 do 10 ft 83 E 25
 50.43 Section corner
 North Between Sec^s 16 & 17
 25.50 A. M. Oak 20 in. diam.
 40.00 gr. Sec. corner Sugar 8 ft 7 E 25
 Beech 6 ft 40 E 17
 50.00 Set post corner of Sec^s 8, 9, 16, 17
 Beech 12 ft 41 N 11
 do 12 ft 28 N 22
 Good farming land. Oak, Michery & Beech
 East Between Sec^s 9 & 16 On Random
 40.00 Temporary gr. Sec. post
 50.62 Intersected N & S line 20ths North of corner
 Land rolling. Oak, Beech &
 West Corrected
 40.31 gr. Sec. corner Beech 10 East 39
 50.62 Section corner

North Between Sec^s 8 & 9
 7.50 A. Brook 20 lbs West
 40.00 gr. Sec. corner Beech 12 ft 40 N 13
 do 6 ft 63 N 11
 50.00 Set post corner to Sec^s 4, 5, 8, 9
 Poplar 10 ft 85 N 30
 W. Ash 8 ft 20 N 38
 Good good farming land
 East Between Sec^s 4 & 9 On Random
 40.00 Temporary gr. Sec. post
 74.50 A. Brook 12 lbs South
 50.00 Intersected N & S line 45ths N of corner
 Land the same as above
 West Corrected
 40.00 gr. Sec. corner Beech 10 ft 6 E 19
 Maple 8 ft 40 N 26
 50.00 Section corner
 North Between Sec^s 4 & 5
 22.50 A. Brook 12 lbs S. W
 40.00 gr. Sec. corner Beech 18 ft 28 E 18
 Dogwood 5 ft 12 E 19
 53.58 Intersected North boundary 40ths E of corner
 Beech 10 ft 65 E 32
 do 15 ft 43 E 12
 Good farming land
 North Between Sec^s 31 & 32
 10.00 A. Brook 10 lbs S. W
 40.00 gr. Sec. corner Dogwood 8 ft 35 E 16
 do 6 ft 40 N 30
 50.00 Set post corner of Sec^s 29, 30, 31, 32
 Sugar 8 ft 16 N 24
 do 8 ft 89 N 13
 Land Hilly Timber Oak & Michery

East Between Sec^s 29 & 32 On Random
 40.00 Temporary gr. Sec. post
 50.15 Intersected N & S line 80ths North of corner
 Land on the last a very little thin soil. Oak generally
 West Corrected
 40.07 $\frac{1}{2}$ gr. Sec. corner Beech 10 West 75
 50.15 Section corner
 North Between Sec^s 29 & 30
 40.00 gr. Sec. corner Ironwood 6 ft 41 N 7
 Beech 12 ft 73 E 30
 52.00 A. Sugar 20 in. diam.
 50.50 Set post corner to Sec^s 19, 20, 29, 30
 Beech 6 ft 39 N 7
 Sugar 20 ft 7 E 17
 Description of the land omitted
 East Between Sec^s 20 & 29 On Random
 40.00 Temporary gr. Sec. post
 50.00 Intersected N & S line 12ths N of corner
 Land the same
 West Corrected
 40.00 gr. Sec. corner Sugar 12 ft 86 E 36
 do 6 ft 36 N 20
 50.00 Section corner
 West Between Sec^s 30 & 31
 20.70 A. Poplar 30 in. diam.
 40.00 gr. Sec. corner Beech 10 ft 47 E 17
 do 10 ft 36 N 10
 68.89 Set post on West boundary 76ths S of corner
 Beech 15 ft 47 E 25
 do 10 ft 63 E 37
 Good farming land. Beech, Oak & Michery
 West Between Sec^s 19 & 30
 35.60 A. Brook 12 lbs S. W
 40.00 gr. Sec. corner Beech 20 ft 63 E 16
 do 9 ft 18 N 28
 69.04 Intersected West boundary 81ths South of corner
 Sugar 12 ft 48 N 8
 Beech 8 ft 15 E 10
 Good farming land. Beech, Oak & Michery
 North Between Sec^s 19 & 20
 18.00 A. Brook 10 lbs S. W
 40.00 gr. Sec. corner Beech 9 ft 19 N 9
 do 6 ft 5 E 20
 50.00 Set post corner of Sec^s 17, 18, 19, 20
 Beech 20 ft 50 E 15
 Poplar 28 ft 51 E 19
 Description of the land omitted
 East Between Sec^s 17 & 20 On Random
 40.00 Temporary gr. Sec. post
 50.04 Intersected N & S line 10ths North of corner
 Land the same Oak & Maple
 West Corrected
 40.02 gr. Sec. corner Beech 10 ft 4 E 7
 Poplar 20 ft 75 E 21
 50.04 Section corner
 West Between Sec^s 18 & 19
 40.00 gr. Sec. corner Beech 10 ft 84 N 25
 do 29 ft 18 E 24
 15.00 About 26th N. 62 this place I found a Beech 30ths
 69.50 Intersected West boundary 107ths South of corner
 Beech 12 ft 24 E 14
 do 8 ft 51 E 18
 North Between Sec^s 18 & 17
 40.00 gr. Sec. corner Sugar 10 ft 26 N 30
 Beech 20 ft 65 E 35
 45.00 A. Brook 30 lbs S. W
 50.00 Set post corner 7, 8, 17, 18
 Beech 30 ft 23 E 17
 do 10 ft 37 N 23
 Land the same

East Between Sec^s 8 & 17 on Randolph
 22.00 N. Brook 40 lks S. W
 40.00 Temporary gr. Sec. post
 71.00 N. Brook 12 lks S. W
 80.00 Intersected N. W. line 8 lks South of corner
 Found the same level & rich

West Corrected
 40.00 gr. Sec. corner Sugar 8 N 75 E 7
 do 12 S 27 W 20

80.00 Section corner
 West Between Sec^s 7 & 18
 18.09 N. W. Ash 20 in. diam.
 38.00 N. Brook 20 lks South
 40.00 gr. Sec. corner Sugar 10 S 78 E 11
 do 30 N 33 W 23

70.65 Intersected West Boundary 14 lks S. of corner
 Brook 6 S 19 E 14
 do 6 S 29 E 16

Found the same
 North Between Sec^s 4 & 8
 10.00 gr. Sec. corner N. Oak 12 S 41 E 9
 do 10 S 44 W 6

80.00 Set post corner of Sec^s 5, 6, 7, 8
 Sugar 12 S 31 E 13
 Brook 10 S 10 W 18

Good farming land, Poplar, Beech, Sugar &c.

East Between Sec^s 5 & 8 on Randolph
 25.00 N. Brook 20 lks South
 40.00 Temporary gr. Sec. post
 52.00 N. Brook 12 lks S. W

80.00 Intersected N. W. line 10 lks South of corner

Found the same
 West Corrected
 40.00 gr. Sec. corner N. Oak 15 N 81 W 6
 do 10 S 15 W 14

80.00 Section corner

West Between Sec^s 6 & 7
 40.00 gr. Sec. corner Beech 12 S 74 W 25
 do 8 S 24 W 8
 63.00 N. Brook 10 lks South
 71.60 Intersected the West Boundary 63 lks S. of cor.
 Brook 12 S 66 W 7
 do 20 N 26 E 14

North Between Sec^s 5 & 6
 40.00 Set post corner of gr. Sections
 Poplar 20 S 51 E 12
 Beech 6 N 31 E 16
 83.50 Set post on N. Boundary 140 lks E. of corner
 do 6 S 52 E 9
 do 8 S 23 W 12

Found the same
 Surveyed by Arthur Henric D. L.
 Meanders of Drift wood fork of White
 River in Sec. 36 N. R. E. Town 5. var. 7. or

Chd. lks
 West 6.45 distance across the River
 thence up West side River beginning
 at the Township line
 Right Bank.

N 31 1/2 E 4.16
 N 9 E 3.31
 N 9 W 6.45
 N 25 W 2.28
 N 4 W 2.04
 N 10 1/2 W 3.36
 N 12 E 2.14
 N 3 W 1.95
 N 5 E 5.80
 N 22 E 10.98
 N 25 W 9.39
 N 2 W 5.36
 N 39 E 5.50 Mouth of brook 100 lks course
 do 2.83 from N. W.

Courses Distances Remarks

N 80 E 6.18
 S 71 E 5.45
 S 46 E 6.77
 S 82 E 20.53
 N 29 E 8.22
 N 42 E 6.06
 N 62 E 2.85
 N 38 E 15.43
 N 55 E 1.60
 N 34 E 5.59
 N 45 E 2.27
 N 30 1/2 E 1.22 Intersected line dividing Sections 35 & 36
 N 27 E 9.11 In Section N^o 25
 N 21 1/2 W 7.38
 N 44 W 3.00
 N 55 W 1.02
 N 47 W 4.63
 N 65 W 1.83
 N 45 1/2 W 1.38
 N 58 W 5.79
 N 33 W 4.31
 N 20 W 6.45
 N 12 W 5.54
 N 18 E 7.03
 N 49 E 5.00 To brook 50 lks wide from N. W.
 " " 1.48
 N 43 E 3.44
 East 3.33
 S 74 E 3.46
 S 61 E 5.00
 S 54 E 4.32
 S 34 E 5.03
 S 28 1/2 E 5.00
 S 19 E 10.53
 S 57 E 3.00 Intersected North line
 September 24th 1821

Courses Distances Remarks
 Chd. lks In Section N^o 25 Township 5 N. R. 3 East
 East Side of River 8 1/2 lks the same
 In Section 25.

N 32 1/2 W 2.76
 N 41 W 4.00
 N 59 W 2.61
 N 52 W 1.95
 N 63 W 14.19
 N 36 W 7.58
 North 7.60
 N 33 E 6.30
 N 75 E 5.42
 S 67 E 6.90
 S 50 E 7.21
 S 15 E 7.68
 S 23 E 1.77
 S 19 E 2.34
 S 35 E 7.65
 S 63 E 5.00
 S 79 E " 86 To line crossing River
 North 7.07 distance across River
 N 20 W 4.60
 N 2 E 6.42
 N 29 E 3.14 September 25th 1821
 Surveyed by John Milroy D. L.

Acres 4 31.57
 For Meanders of Brook
 in Sec. 35, see page 91.
 For Meanders of Left
 Bank see Vol II. N & E. on
 page 16.

Meanders of White River in Township N. 3. N. 4. E. 3. E.

Thence up the River.

<i>Course</i>	<i>Dist.</i>	<i>Remarks</i>	<i>Course</i>	<i>Dist.</i>	<i>Remarks</i>
S 22 E	2.90		N 6 W	2.46	
N 13 E	3.60		S 7 E	2.77	
N 7 W	16.63		N 24 E	3.70	
N 12 E	10.68		N 41 E	1.79	
N 7 E	5.26		N 47 E	10.38	
N 6 W	2.25		N 33 E	13.24	
N 5 W	2.93		N 51 E	2.32	
N 23 E	6.04		N 33 E	1.30	
N 73 E	2.83		N 41 E	2.41	
S 62 E	4.19		N 50 E	1.28	
S 54 E	3.80		N 36 E	3.16	
S 64 E	4.16		N 74 E	1.69	To corner of Sec. 25 & 36
S 60 E	1.82		N 21 E	2.27	S. 3. N. 7. 3.
S 58 E	2.60		N 9 E	5.34	
S 57 E	4.14		N 22 W	1.46	
S 50 E	6.18		N 10 W	4.63	
S 74 E	2.73		N 23 W	4.95	Intersected the Boundary line
S 81 E	2.32			6.59	To the Town Corner from the River.
N 88 E	1.45		West		Between Sec. 25 & 36 S. 3. N. 7. 3. E.
N 77 E	2.15	7.00 a Beech 10 inches wide	3.83		(To the River) Set post corner to Sec. 25 & 36 S. 3. N. 7. 3. E. from which a Beech 9.825 W 3 inches - And another 12.73 bears S 9 E 14 inches.
N 10 E	2.26				

*For Meanders of Right Bank
See Vol 13, page 100.*

*Surveyed by
Wm Harris
Deputy Surveyor*

Township N. 3. N. 4. E. 3. E. East of the Meridian.

North	Between Sec. 25, 36 S. 1. N. 7. 4. E.
40.00	Set $\frac{1}{2}$ Sec. post - from which a Hickory 7 in. diameter bears S 47 E 4 lbs.
30.00	A B. Oak 24 in. Diameter in the line.
20.00	Set post corner to Sec. 25, 26, 35, 36 S. 1. N. 7. 4. E. from which a Dogwood 5 in. diameter bears N 77 E 28 lbs. - And a Dogwood 4 in. diam. bears S 24 W 31 lbs. - Tolerable land - No timber grown over with bushes & briars.
East.	Random between 25, 36 S. 1. N. 7. 4. E.
40.00	Set $\frac{1}{2}$ Sec. post - Over poor level land - Oak & Beech Timber.
30.00	A Water course 7 lbs wide N. E.
68.00	A Stream 16 inches wide runs N.
79.00	Intersected town boundary 30 lbs. N. of post. 25, 36 S. 1. N. 7. 4. E. - Set post poor Oak lands.
West.	Corrected between Sec. 25, 36 S. 1. N. 7. 4. E.
59.50	Moved $\frac{1}{2}$ Sec. post at average distance - from which a W. Oak 11 in. diam. bears N 44 W 8 lbs. - And a Beech 7 in. Diameter bears South 12 lbs.
North	Between Sec. 25, 26 S. 1. N. 7. 4. E.
37.55	A Beech 12 in. Diameter.
40.00	Set $\frac{1}{2}$ Sec. post - from which a Beech 15 in. Diameter bears N 33 E 5 lbs. - And a Beech 16 in. Diam. bears S 43 E 16 lbs. - Timber Beech & Poplar - Much tender growth.
62.50	A Creek 75 lbs wide runs W. -
20.00	Set Post corner to Sec. 23, 24, 25, 26 S. 1. N. 7. 4. E. - from which a Beech 15 in. Diameter bears N 6 W 4 lbs. - And an Elm 5 in. Diameter bears S 35 W 16 lbs. - Over level & rate land - Timber Beech & Poplar.
North	Between Sec. 34, 35 S. 1. N. 7. 4. E.
20.00	A Beech 20 in. Diameter.